



Trademark
SOUNDPROOFING

Guilford of Maine- Paradise

Product Data

Paradise 2659: Panel

White 010

Specifications:

Contents

100% recycled Polyester

Weight

9.5± 0.5 oz./ lin. yd.

Width

66" min. useable

Repeat

None

Cleaning Code:

Standard Care Label W-S. Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup.

Performance:

Breaking Strength (ASTM D5034)

225 lbf min. warp and 125 lbf min. fill

Tear (ASTM D2261)

15 lbf min. warp and fill

Colorfastness to light (AATCC 16 Option 3)

Grade 4 min. at 40 hours

Colorfastness to crocking (AATCC 8)

Grade 4 min dry & Grade 3 min. wet

Flammability

ASTM E84 -Class 1 or A

NFPA 701 TM #2 flat sheets – Pass (printed fabric only)

NRC of anechoic termination

1.00

NRC of fabric in front of anechoic termination

.90


Miscellaneous:

Paradise is a printable 100% recycled polyester fabric. This capability allows for a unique look in any environment. Please note that Guilford of Maine only supplies the unprinted fabric. Whether it's full color photography, brand recognition or solid blocks of color – the creativity is up to you! Proudly woven in the USA supporting our local communities. Application testing of this product is recommended.

Printable

The plot below summarizes impedance tube measurements of absorption of an anechoic termination and various fabrics in front of the anechoic termination.

**Acoustical Performance for Panel Applications
(ISO 10534-2)**



Terralex is a registered trademark of True Textiles, Inc. and designates fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high quality product that is recyclable at the end of its useful life.



CO₂ emissions from 100% of the electricity used by the manufacturer to produce this product have been measured and offset in accordance with the CarbonNeutral Protocol.

148 Horton Drive, Suite B
Monsey, New York, 10952

Phone: 845.352.3200
Fax: 845.367.4657

www.TMSoundproofing.com