



# GUILFORD OF MAINE - JANE

## PRODUCT SPECS

### Jane 9085

Blueberry 4091

#### Specifications

##### Contents

100% pre-consumer recycled polyester

##### Weight

9.7 ± 0.5 oz./lin. yd.

##### Width

54" min. useable

##### Repeat

none

##### Treatment

BLOCKaide®

##### Backing

none

##### Treatment

BLOCKaide®



#### Cleaning Code

Standard Care Label W-S.

Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup.


#### NRC of anechoic termination

1.00

#### NRC of fabric in front of anechoic termination

.90

The plot below summarizes impedance tube measurements of absorption of an anechoic termination and various fabrics in front of the anechoic termination.



[www.tmsoundproofing.com](http://www.tmsoundproofing.com)

Phone: 845-388-1200 Fax: 845-388-1388

### Performance

**Breaking Strength (ASTM D5034)**

200 lbf min. warp and 130 lbf min fill

**Tear (ASTM D2261)**

25 lbf min. warp and fill

**Seam Slippage (ASTM D4034)**

50 lbf min. warp and fill

**Pilling resistance (ASTM D3511)**

Class 4 min.

**Colorfastness to light (AATCC 16 Option 3)**

Grade 4 min. at 40 hours

**Colorfastness to crocking (AATCC 8)**

Grade 4 min. dry & Grade 3 min. wet

**Colorfastness to water (AATCC 107)**

Class 3 min. for staining

Class 4 min. for color change

**Wyzenbeek Abrasion resistance (ASTM D4157)**

50,000 double rubs min. cotton duck

**Flammability**

CA Technical Bulletin 117-2013 Section 1

NFPA 260/UFAC Fabric Classification - Class I

ASTM E84 Class I or A

### Miscellaneous

Every effort has been made to ensure color accuracy of the digital images, however, please order a sample before specification. Application testing of this product is recommended. Colors may vary between dye lots. This is a directional fabric.

Proudly woven in the USA supporting our local communities.



TerraTex is a registered trademark of True Textiles, Inc. and designates fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high quality product that is recyclable at the end of its useful life.



This pattern is included in the underwriters laboratory panel fabric recognition program. Additional testing of this U.L. recognized fabric is not required on approved panels from participating manufacturers.